

Jump Rings per Pound - Copper, Round Wire											
Feet of wire per Pound		810.00	511.00		321.00		202.00	128.00	80.00	50.00	
Mandrel Size Inches	Mandrel Size mm	26 gauge	24 gauge	22 gauge	21 gauge	20 gauge	19 gauge	18 gauge	16 gauge	14 gauge	12 gauge
0.078	2.0		31,587	18,959		11,152		6,542	3,792	2,153	1,201
0.094	2.4		27,213	16,445		9,755		5,771	3,379	1,938	1,093
0.109	2.8		23,926	14,532		8,677		5,168	3,050	1,763	1,003
	3.0		22,413	13,645		8,172		4,882	2,892	1,678	959
0.125	3.2		21,348	13,019		7,813		4,678	2,779	1,617	927
0.141	3.6		19,271	11,790		7,106		4,273	2,552	1,494	862
0.156	4.0		17,563	10,774		6,516		3,933	2,360	1,388	805
0.164	4.2		16,823	10,332		6,258		3,784	2,275	1,340	779
0.172	4.4		16,133	9,919		6,017		3,643	2,194	1,296	755
0.188	4.8		14,918	9,189		5,588		3,393	2,051	1,215	711
	5.0		14,275	8,802		5,360		3,259	1,973	1,172	687
0.203	5.2		13,873	8,560		5,217		3,175	1,924	1,144	672
0.219	5.6		12,965	8,011		4,892		2,983	1,813	1,081	637
0.234	6.0		12,169	7,529		4,605		2,813	1,714	1,024	605
0.250	6.4		11,464	7,101		4,350		2,661	1,625	973	577
0.281	7.1		10,275	6,376		3,916		2,403	1,472	885	527
	7.5		9,818	6,097		3,748		2,302	1,412	850	507
0.313	7.9		9,309	5,786		3,560		2,189	1,345	812	485
0.344	8.7		8,510	5,295		3,264		2,011	1,239	749	449
0.375	9.5		7,836	4,882		3,014		1,860	1,148	696	419
0.406	10.3		7,262	4,528		2,799		1,729	1,069	650	392
0.438	11.1		6,766	4,222		2,612		1,616	1,001	609	368
0.469	11.9		6,333	3,955		2,449		1,517	941	573	347
0.500	12.7		5,952	3,719		2,305		1,429	887	542	328
0.750	19.1		4,020	2,519		1,568		977	610	375	229
1.000	25.4		3,034	1,905		1,188		742	465	287	176
1.250	31.8		2,437	1,531		956		598	375	232	143

Jump Rings per Pound - Copper, Square Wire											
Feet of wire per Pound				415.00	356.00	253.00		162.00	99.00	63.40	39.60
Mandrel Size Inches	Mandrel Size mm	26 gauge	24 gauge	22 gauge	21 gauge	20 gauge	19 gauge	18 gauge	16 gauge	14 gauge	12 gauge
0.078	2.0			15,397		8,789		5,246	2,932	1,706	951
0.094	2.4			13,355		7,688		4,628	2,613	1,535	866
0.109	2.8			11,802		6,839		4,144	2,359	1,397	794
	3.0			11,082		6,441		3,915	2,237	1,330	760
0.125	3.2			10,573		6,158		3,752	2,149	1,281	734
0.141	3.6			9,575		5,601		3,427	1,974	1,184	682
0.156	4.0			8,750		5,136		3,154	1,825	1,100	637
0.172	4.4			8,055		4,742		2,922	1,697	1,027	598
0.188	4.8			7,463		4,404		2,721	1,586	963	563
	5.0			7,148		4,224		2,613	1,526	928	544
0.203	5.2			6,952		4,112		2,546	1,488	907	532
0.219	5.6			6,506		3,855		2,392	1,402	856	504
0.234	6.0			6,114		3,629		2,256	1,325	812	479
0.250	6.4			5,767		3,428		2,134	1,256	771	457
0.281	7.1			5,178		3,086		1,927	1,138	701	417
0.313	7.9			4,699		2,806		1,756	1,040	643	384
0.344	8.7			4,300		2,573		1,613	958	594	356
0.375	9.5			3,964		2,375		1,491	888	551	331
0.406	10.3			3,677		2,206		1,387	827	515	310
0.438	11.1			3,429		2,059		1,296	774	483	291
0.469	11.9			3,212		1,930		1,216	727	454	275
0.500	12.7			3,020		1,817		1,146	686	429	260
0.750	19.1			2,046		1,236		783	472	297	182
1.000	25.4			1,547		936		595	359	227	139
1.250	31.8			1,243		754		479	290	184	113

Jump Rings per Pound - Copper, Half Round Wire											
Feet of wire per Pound								324.00	203.00	126.00	83.00
Mandrel Size Inches	Mandrel Size mm	26 gauge	24 gauge	22 gauge	21 gauge	20 gauge	19 gauge	18 gauge	16 gauge	14 gauge	12 gauge
0.078	2.0							12,634	7,495	4,377	2,676
0.094	2.4							10,885	6,505	3,829	2,362
0.109	2.8							9,570	5,751	3,406	2,116
	3.0							8,965	5,402	3,207	1,999
0.125	3.2							8,539	5,154	3,067	1,916
0.141	3.6							7,708	4,669	2,789	1,751
0.156	4.0							7,025	4,268	2,557	1,612
0.172	4.4							6,453	3,930	2,361	1,493
0.188	4.8							5,967	3,642	2,193	1,391
	5.0							5,710	3,489	2,104	1,336
0.203	5.2							5,549	3,393	2,047	1,301
0.219	5.6							5,186	3,176	1,920	1,223
0.234	6.0							4,867	2,985	1,807	1,153
0.250	6.4							4,585	2,815	1,707	1,091
0.281	7.1							4,110	2,529	1,537	985
0.313	7.9							3,723	2,295	1,397	898
0.344	8.7							3,404	2,101	1,281	825
0.375	9.5							3,134	1,937	1,183	763
0.406	10.3							2,904	1,796	1,098	710
0.438	11.1							2,706	1,675	1,025	663
0.469	11.9							2,533	1,569	961	622
0.500	12.7							2,381	1,476	905	586
0.750	19.1							1,608	1,000	615	401
1.000	25.4							1,213	756	466	304
1.250	31.8							974	608	375	245