

Jump Rings per Pound - Red Brass											
Feet of wire per Pound				485.00	365.00	340.00		214.00	134.00	84.00	54.00
Mandrel Size Inches	Mandrel Size mm	26 gauge	24 gauge	22 gauge	21 gauge	20 gauge	19 gauge	18 gauge	16 gauge	14 gauge	12 gauge
0.078	2.0			17,995	13,159	11,812		6,930	3,969	2,260	1,297
0.094	2.4			15,608	11,457	10,332		6,114	3,537	2,034	1,180
0.109	2.8			13,793	10,153	9,190		5,475	3,193	1,851	1,084
	3.0			12,951	9,546	8,656		5,172	3,028	1,762	1,036
0.125	3.2			12,356	9,117	8,276		4,956	2,909	1,698	1,001
0.141	3.6			11,190	8,272	7,527		4,527	2,672	1,568	931
0.156	4.0			10,226	7,570	6,902		4,167	2,470	1,457	869
0.164	4.2			9,806	7,265	6,629		4,008	2,381	1,407	842
0.172	4.4			9,414	6,978	6,373		3,859	2,297	1,360	816
0.188	4.8			8,722	6,472	5,919		3,594	2,147	1,276	768
	5.0			8,354	6,203	5,677		3,452	2,066	1,230	742
0.203	5.2			8,124	6,035	5,526		3,363	2,015	1,201	726
0.219	5.6			7,604	5,653	5,181		3,160	1,898	1,135	688
0.234	6.0			7,146	5,316	4,877		2,980	1,794	1,075	654
0.250	6.4			6,740	5,017	4,607		2,820	1,701	1,022	623
0.281	7.1			6,052	4,510	4,148		2,545	1,541	929	569
	7.5			5,787	4,314	3,970		2,439	1,478	893	548
0.313	7.9			5,491	4,096	3,771		2,320	1,408	852	524
0.344	8.7			5,026	3,752	3,458		2,131	1,297	787	485
0.375	9.5			4,633	3,461	3,192		1,970	1,202	731	452
0.406	10.3			4,297	3,212	2,964		1,832	1,119	682	423
0.438	11.1			4,007	2,996	2,767		1,712	1,048	640	398
0.469	11.9			3,753	2,808	2,594		1,607	985	602	375
0.500	12.7			3,530	2,641	2,442		1,514	929	569	355
0.750	19.1			2,391	1,792	1,661		1,035	639	394	248
1.000	25.4			1,808	1,356	1,259		786	487	301	190
1.250	31.8			1,453	1,091	1,013		633	393	244	155

Jump Rings per Pound - Red Brass											
Feet of wire per Pound						365.00	253.00		162.00	104.00	
Mandrel Size Inches	Mandrel Size mm	26 gauge	24 gauge	22 gauge	21 gauge	20 gauge	19 gauge	18 gauge	16 gauge	14 gauge	12 gauge
0.078	2.0				13,159	8,789		5,246	3,081		
0.094	2.4				11,457	7,688		4,628	2,745		
0.109	2.8				10,153	6,839		4,144	2,478		
	3.0				9,546	6,441		3,915	2,350		
0.125	3.2				9,117	6,158		3,752	2,258		
0.141	3.6				8,272	5,601		3,427	2,074		
0.156	4.0				7,570	5,136		3,154	1,917		
0.164	4.2				7,265	4,933		3,034	1,848		
0.172	4.4				6,978	4,742		2,922	1,783		
0.188	4.8				6,472	4,404		2,721	1,666		
	5.0				6,203	4,224		2,613	1,603		
0.203	5.2				6,035	4,112		2,546	1,564		
0.219	5.6				5,653	3,855		2,392	1,473		
0.234	6.0				5,316	3,629		2,256	1,392		
0.250	6.4				5,017	3,428		2,134	1,320		
0.281	7.1				4,510	3,086		1,927	1,196		
0.313	7.9				4,096	2,806		1,756	1,093		
0.344	8.7				3,752	2,573		1,613	1,006		
0.375	9.5				3,461	2,375		1,491	932		
0.406	10.3				3,212	2,206		1,387	869		
0.438	11.1				2,996	2,059		1,296	813		
0.469	11.9				2,808	1,930		1,216	764		
0.500	12.7				2,641	1,817		1,146	721		
0.750	19.1				1,792	1,236		783	496		
1.000	25.4				1,356	936		595	378		
1.250	31.8				1,091	754		479	305		

Jump Rings per Pound - Red Brass											
Feet of wire per Pound										168.00	
Mandrel Size Inches	Mandrel Size mm	26 gauge	24 gauge	22 gauge	21 gauge	20 gauge	19 gauge	18 gauge	16 gauge	14 gauge	12 gauge
0.078	2.0									4,521	
0.094	2.4									4,069	
0.109	2.8									3,703	
	3.0									3,525	
0.125	3.2									3,397	
0.141	3.6									3,137	
0.156	4.0									2,915	
0.164	4.2									2,815	
0.172	4.4									2,721	
0.188	4.8									2,552	
	5.0									2,461	
0.203	5.2									2,403	
0.219	5.6									2,270	
0.234	6.0									2,151	
0.250	6.4									2,044	
0.281	7.1									1,859	
0.313	7.9									1,705	
0.344	8.7									1,574	
0.375	9.5									1,462	
0.406	10.3									1,365	
0.438	11.1									1,280	
0.469	11.9									1,205	
0.500	12.7									1,138	
0.750	19.1									788	
1.000	25.4									603	
1.250	31.8									488	